

Earthing bars

■ **TES1570** Telescopic earthing bar**Characteristics**

4-parts, length adjustable from min.
1325 mm up to max. 4385 mm

Material

Rod made of polyester reinforced glass fibre

Article-Nr.									Kg
649.001.011									2.7

Accessories

**Earthing device 649.001.010**

Article-Nr.									Kg
649.001.010	40 - 120								9.2

Accessories

**Earthing device 649.001.030**

Article-Nr.									Kg
649.001.030	40 - 120								10.4

Accessories

**Earthing device 649.001.031**

Article-Nr.									Kg
649.001.031	35 - 120								8

Accessories

**Signal flag with clip on 649.001.008**

Article-Nr.	mm							Kg	
649.001.008	44							0.4	1

Accessories

**Signal flag 640.055.000**

Article-Nr.	mm							Kg	
640.055.000	44								2

Accessories



Signalflag without fixing 649.002.000

Article-Nr.									
649.002.000	44								3

Accessories



Bag 649.001.131

Article-Nr.									
649.001.131									0.5

Technical Specifications: **Telescopic earthing bar TES1570**

Article No.	649.001.011
Commercial specification	
Customs number	85359000
country of origin	CH
Logistic specification	
Kilo / piece	2.7 kg

